

Technical Data Sheet

Chemtools® Pty Ltd | Ph: 1300 738 250 (+61 2 9833 9866) | Unit 2, 14 – 16 Lee Holm Road ST MARYS NSW 2760
Safety Data Sheets, product photos, and other information can be obtained by visiting www.chemtools.com.au



DEOX R12 Food Safe Belt Grip

PART NUMBER	AVAILABLE SIZE*
CT-R12FS-300	300g Aerosol

*Available colours and/or sizes may change without notice.

DESCRIPTION

Chemtools® DEOX R12 Food Safe Belt Grip reduces belt slippage and prevents glazing, cracking, breakage, and the build-up of grease and dirt.

Adhering strongly to any belt material or type, R12FS forms a tacky, non-drying, water-resistant barrier that does not attract dust to the belt or surrounding areas. Its non-staining, non-toxic, colourless formula provides instant grip and assists with belt flexibility, extending belt life with regular use.

APPLICATIONS & USES

- All belt types, including flat, V, and round
- Appliance drive belts
- Truck and automotive fan belts
- Leather or canvas farm machinery take-off belts
- High-load industrial compressor or generator belts
- Sanding and polishing belts

APPLICATION

Ensure all surfaces and components are clean and free of dirt, contaminants, and old grease prior to application.

For optimal performance, apply a liberal coating to bearings and other moving parts. Ensure good coverage.

Aerosol: Shake can before use. Spray from a distance of 250 – 300mm. Wipe away any excess with a soft cloth.

TECHNICAL DATA

Appearance	Clear, tacky liquid
Odour	Mild solvent
Propellant	Carbon Dioxide (CO ²)
Shelf Life	12 months from the date of manufacture

FIRST AID & SAFETY PRECAUTIONS

Always refer to Safety Data Sheet/s before use. Use proper Personal Protection Equipment. Do not get in eyes, on skin, or on clothing. Use with adequate ventilation. Avoid breathing fumes. Keep away from heat, sparks, open flames, and hot surfaces. This product may produce adverse health conditions, ranging from minor skin irritation to serious systemic effects. It should not be used, stored, or transported until the handling precautions and recommendations as stated in the Safety Data Sheet/s for this product have been fully understood by all persons who will work with the material.

STORAGE & TRANSPORT

Refer to Safety Data Sheet/s for recommendations. As a general precaution, keep containers tightly closed, protect from sunlight, and do not expose to temperatures exceeding 50°C. Store in a cool, dry place at room temperature (5 – 40°C). Do not return any unused material to its original container. Containers should be secured and stored upright during transit.

DISCLAIMER

Every effort has been made to ensure the information provided in this document is accurate at the date of publication. Chemtools® Pty Ltd expressly recommends that the user make his/her own assessment to determine the suitability of the product for its intended purpose prior to application. Chemtools® Pty Ltd shall not be responsible for loss, damage, or injury, resulting from the reliance upon, or failure to adhere to, any recommendations or information contained herein; nor from abnormal use of the material; nor from any hazard inherent in the nature of the material.