

## Technical Data Sheet

Chemtools® Pty Ltd | Ph: 1300 738 250 (+61 2 9833 9866) | Unit 2, 14 – 16 Lee Holm Road ST MARYS NSW 2760  
Safety Data Sheets, product photos, and other information can be obtained by visiting [www.chemtools.com.au](http://www.chemtools.com.au)



## Tap-N-Cool Straight Cutting Compound

PART NUMBER	AVAILABLE SIZE*
CT-SCC-500G	500 grams

\*Available colours and/or sizes may change without notice.

### DESCRIPTION

Chemtools® Tap-N-Cool Straight Cutting Compound is a soft, non-staining, metal working paste with long lasting high performance, high film strength, and extreme pressure (EP) additives. Its anti-corrosive, anti-wear formula rapidly reduces and dissipates heat without producing noxious fumes, while improving the dimensional stability of all metal surfaces, inclusive of yellow metals.

SCC is formulated from solvent refined mineral oils for an unsurpassable finish. Its lanolin-base ensure a rust-free environment to extend the life of hand tools and heavy duty power tools.

Straight Cutting Compound is non-toxic and biodegradable, making it safe for both the user and the environment.

### RECOMMENDED OPERATIONS FOR ALL METAL TYPES

Extruding	Tapping	Cutting	Reaming	Pressing	Forming
-----------	---------	---------	---------	----------	---------

### APPLICATION

Ensure surfaces are clean and free of dirt, contaminants, and old grease prior to application. For optimal performance, apply a liberal coating to cutting tools, fixtures, and component surfaces. Ensure good coverage.

### TECHNICAL DATA

Appearance	Smooth paste
Colour	Off white
Base	Lanolin
Shelf Life	3 years from date of manufacture

### FIRST AID & SAFETY PRECAUTIONS

**Always refer to Safety Data Sheet/s before use.** Use proper Personal Protection Equipment. Do not get in eyes, on skin, or on clothing. Use with adequate ventilation. Avoid breathing fumes. This product may produce adverse health conditions, ranging from minor skin irritation to serious systemic effects. It should not be used, stored, or transported until the handling precautions and recommendations as stated in the Safety Data Sheet/s for this product have been fully understood by all persons who will work with the material.

### STORAGE & TRANSPORT

**Refer to Safety Data Sheet/s for recommendations.** As a general precaution, keep containers tightly closed, protect from sunlight, and do not expose to temperatures exceeding 50°C. Store in a cool, dry place at room temperature (5 – 40°C). Do not return any unused material to its original container. Containers should be secured and stored upright during transit.

### DISCLAIMER

Every effort has been made to ensure the information provided in this document is accurate at the date of publication. Chemtools® Pty Ltd expressly recommends that the user make his/her own assessment to determine the suitability of the product for its intended purpose prior to application. Chemtools® Pty Ltd shall not be responsible for loss, damage, or injury, resulting from the reliance upon, or failure to adhere to, any recommendations or information contained herein; nor from abnormal use of the material; nor from any hazard inherent in the nature of the material.