

Technical Data Sheet

Chemtools® Pty Ltd | Ph: 1300 738 250 (+61 2 9833 9866) | Unit 2, 14 – 16 Lee Holm Road ST MARYS NSW 2760
Safety Data Sheets, product photos, and other information can be obtained by visiting www.chemtools.com.au



GalMax™ SOLVENTS Wax & Grease Remover

PART NUMBER	AVAILABLE SIZE*
CT-WGR-1L	1 Litre
CT-WGR-4L	4 Litres
CT-WGR-20L	20 Litres

*Available colours and/or sizes may change without notice.

DESCRIPTION

GalMax™ SOLVENTS Wax & Grease Remover is a heavy duty surface preparation treatment containing a blend of fast drying aliphatic solvents which effectively penetrate and dissolve wax, oil, grease, silicone, tar, grime, glue, anti-spatter residues, and most other surface contaminants prior to painting. It is an excellent degreaser that leaves absolutely no residue, and is compatible with most metals, including steel, stainless steel, aluminium, and copper.

Wax & Grease Remover is also safe to use on most painted surfaces, rubbers, plastics, and non-tinted glass.

APPLICATION

Thoroughly soak a clean cloth in Wax & Grease Remover and wipe over the area require cleaning.

Using another clean cloth, wipe the surface again to remove any loosened residue, avoid contamination, and achieve the cleanest possible result.

Repeat the process with a clean cloth each time for stubborn residues.

TECHNICAL DATA

Base	Blend of aliphatic solvents
Solids (by Volume)	0.0%
Solids (by Weight)	0.0%
Density	0.802 g/ml
VOC	801.4 g/L
Compatibility with Metals	Compatible with both painted and non-painted metal substrates
Dilution Rate	This product arrives ready to use. Dilution is not necessary.

FIRST AID & SAFETY PRECAUTIONS

Always refer to Safety Data Sheet/s before use. Use proper Personal Protection Equipment. Do not get in eyes, on skin, or on clothing. Use with adequate ventilation. Avoid breathing fumes. Keep away from heat, sparks, open flames, and hot surfaces. This product may produce adverse health conditions, ranging from minor skin irritation to serious systemic effects. It should not be used, stored, or transported until the handling precautions and recommendations as stated in the Safety Data Sheet/s for this product have been fully understood by all persons who will work with the material.

STORAGE & TRANSPORT

Refer to Safety Data Sheet/s for recommendations. As a general precaution, keep containers tightly closed, protect from sunlight, and do not expose to temperatures exceeding 50°C. Containers should be secured and stored upright during transit.

DISCLAIMER

Every effort has been made to ensure the information provided in this document is accurate at the date of publication. Chemtools® Pty Ltd expressly recommends that the user make his/her own assessment to determine the suitability of the product for its intended purpose prior to application. Chemtools® Pty Ltd shall not be responsible for loss, damage, or injury, resulting from the reliance upon, or failure to adhere to, any recommendations or information contained herein; nor from abnormal use of the material; nor from any hazard inherent in the nature of the material.